

IOPscience

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



PAPER

Effect of size and composition on the second harmonic generation from lithium niobate powders at different excitation wavelengths

O Sánchez-Dena¹, E V García-Ramírez¹, C D Fierro-Ruiz², E Viguera-Santiago³, Rurik Farías² and J A Reyes-Esqueda^{1,4}

Published 15 March 2017 • © 2017 IOP Publishing Ltd

Materials Research Express, Volume 4, Number 3

reyes@fisica.unam.mx

¹ Instituto de Física, Universidad Nacional Autónoma de México, México, Cd. Mx. 04510, Mexico

² Universidad Autónoma de Ciudad Juárez, Av. Del Charro 450 Norte, Ciudad Juárez, Chihuahua, 32310, Mexico

³ Laboratorio de Investigación y Desarrollo de Materiales Avanzados, Universidad Autónoma del Estado de México, Paseo Colón esquina Paseo Tollocan, Toluca, Estado de México, 50120, Mexico

⁴ Author to whom any correspondence should be addressed.

Received 28 November 2016

Accepted 24 February 2017

Accepted Manuscript online 24 February 2017

Published 15 March 2017



O Sánchez-Dena et al 2017 Mater. Res. Express **4** 035022

<https://doi.org/10.1088/2053-1591/aa62e5>

Buy this article in print

Abstract

LiNbO₃ microcrystalline systems, possessing almost stoichiometric composition, were produced by varying the temperature and time parameters in the annealing processes following a mechanochemical reaction of raw powders. SHG from these samples, detected for every fundamental wavelength in the range 800–1300 nm, and being maximal at a certain wavelength, λ_{\max} , for each sample, has been addressed to a random scattering of the induced nonlinear polarizations. Possible tuning of λ_{\max} could be ascribed to control of composition and grain size of the sample. Random orientation of the produced nanocrystallites was verified since no dependence for SHG intensity on incident polarization was observed.

Export citation and abstract

[BibTeX](#)[RIS](#)

Access this article

Login options

[Individual login](#)

or

[Institutional login
via Athens/Shibboleth](#)

The computer you are using is not registered by an institution with a subscription to this article. Please log in below. Find out more about journal subscriptions at your site.

Purchase this article online

[Buy this article](#)

By purchasing this article, you are accepting IOP's Terms and Conditions for Document Delivery. If you would like to buy this article, but not online, please contact custserv@iop.org.

Make a recommendation

[Recommend this journal](#)

To gain access to this content, please complete the Recommendation Form and we will follow up with your librarian or Institution on your behalf.

Subscribe to this journal

Related content

JOURNAL ARTICLES

Harmonic nanoparticles: noncentrosymmetric metal oxides for nonlinear optics

Polarization-sensitive second harmonic generation microscopy of α -quartz like GeO_2 ($\alpha\text{-GeO}_2$)

polycrystal

Efficient second harmonic generation by para-nitroaniline embedded in electro-spun polymeric nanofibres

Randomized nonlinear photonic crystal for broadband optical frequency conversion

Frequency doubling in LiNbO_3 using temperature-dependent QPM

Second Harmonic Generation in WSe_2